## Portágá A600-ST2231 Detailed Product Specification<sup>1</sup>

Model Name	Description	Part Number UPC	
A600-ST2231	Genuine Windows Vista <sup>®</sup> Business, Intel® Core™ 2 Duo DDR2, 160GB 5400rpm SATA, DVD-SuperMulti,12.1" wid Intel® Graphics Media Accelerator 4500MHD, Intel® WiFi Bluetooth v2.1 + EDR, 1 year standard limited warranty	escreen WXGA, Mobile	187768
Operating	System <sup>C1 2</sup>	Headphone output port	
	ndows Vista <sup>®</sup> Business (SP1, 32/64-bit version)	• Data	
• Genaine VII	Downgrade media for Genuine Windows® XP Professional	64-pin docking connector 3 USB v2.0 ports	
Processor	and Chipset <sup>3</sup>	<ul> <li>2 x USB v2.0 ports</li> <li>1 x eSATA/USB combo port with USB Sleep a</li> </ul>	and
	o <sup>®</sup> 2 Processor Technology featuring:	Charge <sup>12</sup>	
<ul> <li>Intel<sup>®</sup> Core<sup>™</sup></li> </ul>	2 Duo Processor SU9300	RJ-45 Ethernet port • Security	
	, 3MB L2 Cache, 800MHz FSB	Fingerprint reader	
	<sup>∂</sup> GS45 Express Chipset ink 5100AGN (802.11 a/g/n) <sup>4</sup>	Bluetooth Key Logon	
	Gigabit Network Connection	Physical Description	
Memory <sup>5</sup>		Soft Pink	
<ul> <li>Configured \</li> </ul>	with 3GB PC6400 DDR2 SDRAM (1GB on motherboard n single available memory slot). Maximum capacity 5GB	<ul> <li>Dimensions (WxDxH): 11.3" x 8.8" x 1.2"</li> <li>Weight: Starting at 3.22 lbs, depending upon configuration<sup>13</sup></li> </ul>	
Storage Dr	ive <sup>6</sup>	Power	
	0 RPM) Serial ATA hard disk drives	• 45W (15V x 3A) Auto sensing ,100-240V/50-60Hz AC Adapte	er
	cal Disk Drive <sup>7</sup>	Dimensions (WxDxH): 3.67" x 1.57" x 1.10" Weight: starting at 0.42 lbs	
•	Aulti (+/- double layer) drive with Labelflash™ supporting 11	Battery <sup>14</sup>	
formats		<ul> <li>5800 mAh(6 cell) Lithium Ion battery pack</li> </ul>	
	n speed and compatibility: CD-ROM (24x), CD-R (24x), RW (16x), DVD-ROM (8x), DVD-R (Single Layer, (8x)),		
	-R (Double Layer, (4x)), DVD-R (Single Layer, (8x)),	Toshiba EasyGuard <sup>® 15</sup> • Protect & Fix	
Laye	r, (8x)), DVD+R (Double Layer, (4x)), DVD+RW (8x), DVD-	PC Health Monitor	
RAM	(5x)	Shock Absorbing Design <sup>16</sup>	
Display <sup>8</sup>		<ul> <li>HDD Shock Absorber</li> </ul>	
	al widescreen display at 1280 x800 native resolution	LED Panel Shock Absorber Hard Disk Drive Protection	
(WXGA) °	LED backlight	<ul> <li>HDD Dome Shock Protector</li> </ul>	
Graphics		<ul> <li>HDD Shock Absorber</li> </ul>	
	nics Media Accelerator 4500MHD with 128MB-1340MB	Spill-Resistant Keyboard <sup>17</sup> TOSHIBA PC Diagnostic Tool	
	ly allocated shared graphics memory	Key Component Access	
Sound		Secure	
<ul> <li>Built-in spea</li> </ul>	ker (mono)	Multiple-Level Password Utilities	dontitu
<ul> <li>Sound volum</li> </ul>		Fingerprint Reader (includes software for password and in management)	dentity
<ul> <li>Built-in micro</li> </ul>	ophone	AuthenTec EntréPad <sup>®</sup> TrueSuite <sup>®</sup>	
Input Device	ces	Infineon TPM Software Professional Package Trusted Platform Module v1.2	
• 85 key US k		TOSHIBA Secure Digital Token Utility	
<ul> <li>TouchPad<sup>™</sup></li> <li>Control Butte</li> </ul>	pointing device	Reinforced Security Cable Lock Slot	
	A Assist button	Execute Disable Bit	
TOSHIB	A Mobility Center button	Connect     Diversity Antenna	
Communic	ations	TOSHIBA ConfigFree <sup>®</sup>	
	ilt into LCD bezel	Voice-over-IP Ready Design	
	luetooth® version 2.1 plus Enhanced Data Rate (EDR)	TOSHIBA Bluetooth <sup>®</sup> Stack • Optimize	
	/ Gigabit Network Connection 10/100/1000 Ethernet /i-Fi <sup>®</sup> compliant wireless: <sup>10</sup>	Windows Mobility Center Button	
• Integrated V		TOSHIBA Zooming Utility	
Expandabi		Rotation Utility One-touch Resolution Change	
<ul> <li>ExpressCard</li> </ul>	d <sup>™</sup> slot (ExpressCard/34 and ExpressCard/54)	Wireless On/Off Switch	
	der- Secure Digital, Secure Digital High Capacity	Toshiba Optical Disc Drive Power On/Off Utility	
Ports		FN Shortcut Keys	
<ul> <li>Video RGB (molecular)</li> </ul>	onitor) output port	BIOS	
Audio		ACPI, PNP, VESA , DPMS, DDC, SM BIOS, PCI BIOS supp	ort
	ne input port		

© Copyright 2007 – 2008 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portégé A600-ST2231

# TOSHIBA

Software <sup>C1</sup> 18 Toshiba Software and Utilities TOSHIBA Value Added Package Electronic User's Guide TOSHIBA ConfigFree® **TOSHIBA Speech System** • Third-party Software Sun® Java™ Runtime Environment Adobe® Acrobat® Reader InterVideo® WinDVD® Google™ Desktop Google<sup>™</sup> Toolbar Google<sup>™</sup> Picasa<sup>™</sup> Trial Software Microsoft Office Ready with Microsoft Office Professional 2007 60dayTrial Edition Norton Internet Security<sup>™</sup> 2008 Software <sup>C1</sup> <sup>19</sup> • Toshiba Software and Utilities TOSHIBA Value Added Package Electronic User's Guide Bluetooth Stack for Windows by Toshiba TOSHIBA ConfigFree<sup>®</sup> TOSHIBA Disc Creator **TOSHIBA DVD Player** TOSHIBA Face Recognition **TOSHIBA Resources**  Third-party Software Microsoft<sup>®</sup> Works 9 Windows Live™ Home Windows Live<sup>™</sup> Mail Windows Live<sup>™</sup> Photo Gallery Windows Live™ Writer Google<sup>™</sup> Toolbar Google<sup>™</sup> Picasa<sup>™</sup> Ulead<sup>®</sup> DVD MovieFactory<sup>®</sup> 5 for TOSHIBA Sun<sup>®</sup> Java™ 2 Runtime Environment Adobe<sup>®</sup> Acrobat<sup>®</sup> Reader Trial Software Microsoft<sup>®</sup> Office Ready with Microsoft Office Professional 2007 Norton Internet Security™ 2008

Special Offers

Amazon.com-Online Shopping Intuit<sup>®</sup> Quickbooks<sup>®</sup> Financial Čenter Skvpe™ Computrace<sup>®</sup> LoJack<sup>®</sup> for Laptops(BIOS enabled)

### **Environmental Specifications**

Operating	Non-operating
5° to 35° C	-20° to 65° C
(41° to 95° F)	(-4° to 149° F)
10% to 90%	10% to 90%
15° C per hour (max)	20° C per hour (max)
-60 to 3,000 meters	-60 to 10,000 meters
10G	60G
0.25G	1.0G
	5° to 35° C (41° to 95° F) 10% to 90% 15° C per hour (max) -60 to 3,000 meters 10G

• This product is RoHS<sup>21</sup> compliant

· Energy Star 4.0 compliant

• EPEAT™ Gold

### 1 YEAR STANDARD LIMITED WARRANTY <sup>22</sup> Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard®, On-Site Repair, and ServiceExpress to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit www.pcsupport.toshiba.com.

### **Recommended Services Extended Service Plan**

Provides an extended service plan for up to 4 total years from the original notebook purchase date. Must be purchased within the first 9 months of notebook purchase.

Part Number Description 2nd Year Extended Service Plan WSN-PEQQ2V WSN-PFQQ3V 2nd/3rd Year Extended Service Plan WSN-PEQQ4V 2nd/3rd/4th Year Extended Service Plan

## SystemGuard Accidental Damage Service w/ ServiceExpress<sup>23</sup>

Provides advanced protection from damage caused from handling. Select your express repair service with either Depot Express or Carry-In Express and go to the front of the line. Extended Service Plan included except with 1 Year plan. Must be purchased within the first 30 days of notebook purchase. Part Number Description WSN-PSGP1V 1st Year WSN-PEGP2V 1st/2nd Year + Extended Service Plan

WSN-PEGP3V 1st/2nd/3rd Year + Extended Service Plan

## SystemGuard Accidental Damage Service + On-Site Repair

Combines SystemGuard and On-Site Repair coverage. Extended Service Plan included except with 1 Year plan. Must be purchased within the first 30 days of notebook purchase.

Part Number	Description
WSN-PSGN1V	1st Year
WSN-PEGN2V	1st/2nd Year + Extended Service Plan
WSN-PEGN3V	1st/2nd/3rd Year + Extended Service Plan

#### **ServiceExpress**

Select your express repair service with either Depot Express or Carry-In Express. Depot Express: Your notebook will be repaired and returned via overnight shipment (excluding weekends and holidays). Carry-In Express: Take your notebook into a Premier ASP and go to the front of the line for expedited repair service. Extended Service Plan included except with 1 Year plan. Must be purchased within the first 30 days of notebook purchase.

Part Number	Description
WSN-PSQP1V	1st Year
WSN-PEQP2V	1st/2nd Year + Extended Service Plan
WSN-PEQP3V	1st/2nd/3rd Year + Extended Service Plan

### **On-Site Repair Service**

On-site service will be provided at the customer's home or business location (excluding weekends and holidays) to perform the necessary hardware repairs. Extended Service Plan included except with 1 Year plan. Must be purchased within the first 9 months of notebook purchase.

Fait Number	Description
WSN-PSQN1V	1st Year
WSN-PEQN2V	1st/2nd Year + Extended Service Plan
WSN-PEQN3V	1st/2nd/3rd Year + Extended Service Plan

### Accessories

For additional and most updated accessories, please visit www.accessories.toshiba.com

Description

Memory Upgrade

moniely epg.	
Part Number	Description

PA3669U-1M2G Toshiba 2GB DDR2-800 Memory Module Power Part Number Description PA3282U-2ACA Toshiba 60W Global AC Adapter

PA3612U-1BRS	Toshiba Primary Li ION Battery Pack (6 cell-5800mAh)
PA3091U-2CHG	Toshiba Battery Charger w/Integrated AC Adapter)
Input Devices	
Part Number	Description
PA3569U-1ETA	Toshiba USB Laser Mini-Mouse, Black/Silver
PA1391U-1NKB	Toshiba USB Slim Keyboard with 2 USB ports
Expansion	

© Copyright 2007 - 2008 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portégé A600-ST2231

Part Number

# OSHIBA

PA3603U-1PRP PA3681U-1PRP	Toshiba Slim Port Replicator II Toshiba Slim Port Replicator III w/AC Adapter
Storage	
Part Number	Description

PA3438U-2CD2	Toshiba Ext USB 2.0 CD-RW/DVD-ROM Combination Drive
PA3454U-1DV2	Toshiba Ext USB 2.0 DVD Super Multi Drive

### Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.pcsupport.toshiba.com

### **Return Policy**

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618 ToshibaDirect website: http://www.toshibadirect.com TAIS website for resellers: http://sell.toshiba.com TAIS PC Support website: http://pcsupport.toshiba.com

Qosmio, Satellite, Portégé, Tecra, SelectBay, ConfigFree, SystemGuard, EasyGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

### C164-bit computing:

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. A 32-bit version of the operating system is preinstalled on your computer unless explicitly stated that the operating system is 64-bit. See "Detailed Specs" for more information.

<sup>1</sup> Product Series Legal Footnote. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

### <sup>2</sup> Operating System.

Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Offers. Offer terms, duration and product availability all subject to change without notice

#### <sup>3</sup> Processor (Central Processing Unit).

Also see 64-Bit Computing Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

- use of certain external peripheral products
- use of battery power instead of AC power 2.
- use of certain multimedia, computer generated graphics or video applications 3.
- 4.
- use of standard telephone lines or low speed network connections use of complex modeling software, such as high end computer aided design applications 5.
- use of several applications or functionalities simultaneously 6
- use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level) 7

8 use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86°F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model - please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

# TOSHIBA

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

<sup>4</sup> <u>Wireless-N</u>. The wireless adapter is based on a draft release version of the IEEE 802.11n specification, and may not be compatible with, or support all features (e.g., security) of, certain Wi-Fi® equipment.

<sup>5</sup> <u>Memory (Main System)</u>. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

#### <sup>6</sup> Storage Drive (Capacity).

Computer (Internal) HDD Capacity. One Gigabyte (GB) means  $10^9 = 1,000,000,000$  bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB =  $2^{30} = 1,073,741,824$  bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary

<sup>7</sup> Optical Drive. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

<sup>8</sup> Display. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

#### <sup>9</sup> Graphics (Graphics Processing Unit).

GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

<sup>10</sup> <u>Wireless</u>. Wireless connectivity and some features may require you to purchase additional software, external hardware or services. Availability of public wireless LAN access points may be limited. The transmission speed over the wireless LAN and the distance over which wireless LAN can reach may vary depending on surrounding electromagnetic environment, obstacles, access point design and configuration, and client design and software/hardware configurations. The actual transmission speed will be lower than the theoretical maximum speed. To use the Atheros SuperAG<sup>™</sup> or SuperG<sup>™</sup> wireless function, if available, your client and access point must support the corresponding feature. Performance of these functions may vary depending on the format of data transmitted.

<sup>11</sup> <u>Wireless-N</u>. The wireless adapter is based on a draft release version of the IEEE 802.11n specification, and may not be compatible with, or support all features (e.g., security) of, certain Wi-Fi® equipment.

<sup>12</sup> USB Sleep & Charge. The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

<sup>13</sup> Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

<sup>14</sup> <u>Battery Life</u>. Battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. See "Detailed Specs" for specific battery measurement test. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba web site at <u>www.accessories.toshiba.com</u>.

<sup>15</sup> EasyGuard. Toshiba EasyGuard<sup>TM</sup> technology comprises a number of features some of which may or may not be available on a particular Toshiba notebook depending on the model selected. See www.easyguard.toshiba.com for detailed information.

<sup>16</sup> <u>Shock Protection</u>. Toshiba's shock absorption technology provides higher impact protection for your system as compared to Toshiba systems without similar shock protection features based on Toshiba's drop tests. Toshiba's standard limited warranty terms and limitations apply. Visit www. warranty.toshiba.com for details.

<sup>17</sup> Spill-Resistant Keyboard. Under Toshiba testing conditions, the spill-resistant keyboard delayed the time for a water spill to reach the PC's main board to allow more time to properly close down the machine. Toshiba's standard limited warranty terms and limitations apply. Visit www.warranty.toshiba.com for details.

<sup>18</sup> Software. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software products (including Microsoft Office Small Business Accounting if applicable) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software products or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Internet access is required to enable certain functionality of certain Microsoft products (including Microsoft Office Small Business Accounting 2006) which may be included with this computer.

The Microsoft Office 2007 60-Day Trial software (if applicable) is intended for evaluation purposes only. You must activate the software before you can use it. Product activation procedures will be detailed during initial launch of the software; activation requires Internet access. This software has an expiration date of 60 days from date of first use, at which time the software will operate under reduced-functionality mode, limiting end-user options and operations. The Microsoft Office 2007 60-Day Trial software is distributed without

# TOSHIBA

charge to the End User Customer but if the End User wants to continue to use such product after the trial period, then the End User Customer will have to pay a fee for the perpetual version of such Office Product.

<sup>19</sup> Software. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software products (including Microsoft Office Small Business Accounting if applicable) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software products or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Internet access is required to enable certain functionality of certain Microsoft products(including Microsoft Office Small Business Accounting 2006) which may be included with this computer.

The Microsoft Office 2007 60-Day Trial software (if applicable) is intended for evaluation purposes only. You must activate the software before you can use it. Product activation procedures will be detailed during initial launch of the software; activation requires Internet access. This software has an expiration date of 60 days from date of first use, at which time the software will operate under reduced-functionality mode, limiting end-user options and operations. The Microsoft Office 2007 60-Day Trial software is distributed without charge to the End User Customer but if the End User wants to continue to use such product after the trial period, then the End User Customer will have to pay a fee for the perpetual version of such Office Product.

<sup>20</sup> <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

<sup>21</sup> **<u>RoHS</u>**. This notebook is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

<sup>22</sup> Warranty: The terms and conditions of Toshiba's standard limited warranty are available at <u>www.warranty.toshiba.com</u>.

<sup>23</sup> Service Plans: The terms and conditions of service upgrade and extension plans offered by Toshiba are available at <u>www.pcsupport.toshiba.com</u>.

<sup>24</sup> Service Plans: The terms and conditions of service upgrade and extension plans offered by Toshiba are available at <u>www.pcsupport.toshiba.com</u>.